

ENTERPRISE B-SERIES

High-Quality SATA Boot Drive for Legacy Systems

PASCARI BA50P

Sequential Read

Up to 530 MB/s

Sequential Write

Up to 500 MB/s

Random Read

Up to 98K IOPS

Random Write

Up to 30K IOPS

Interface

SATA III

Capacity

Up to 960GB

Form Factor

2.5", M.2 2280

DWPD

1



Product Features

- Power Loss Protection (PLP)
- TCG Opal 2.0 Support
- AES-XTS 256-bit Encryption
- End-to-End Data Path Protection



Solutions - BA50P

Form Factor M.2 2280					
Capacity ⁽¹⁾	240GB	480GB	960GB		
Interface	SATA III	SATA III	SATA III		
NAND Flash	3D TLC	3D TLC	3D TLC		
Performance ^(2,3,4)					
Sequential Read (MB/s)	530	530	530		
Sequential Write (MB/s)	290	480	500		
4K Random Read (IOPS)	60K	90K	98K		
4K Random Write (IOPS)	10K	15K	30K		
Read Latency (Typ., µs)	120	120	120		
Write Latency (Typ., µs)	80	50	30		
Power Consumption (5)					
Active (W)	2.2	2.8	2.8		
Idle (W)	1.2	1.2	1.3		
	Endurance,	/Reliability			
DWPD ⁽⁶⁾	1	1	1		
UBER	< 1 sector per 10 ¹⁷ bits read	< 1 sector per 10 ¹⁷ bits read	< 1 sector per 10 ¹⁷ bits read		
MTBF (million hours)	2.0	2.0	2.0		
Limited Warranty (years)	5	5	5		
Temperature					
Operating Temp. (°C)	0 - 70	0 - 70	0 - 70		
Non-Operating Temp. (°C)	-40 - 85	-40 - 85	-40 - 85		
Physical Dimension					
Length (mm)	80.00	80.00	80.00		
Width (mm)	22.00	22.00	22.00		
Width (mm) Height (mm)	22.00 3.50	22.00 3.50	22.00 3.50		
Height (mm)	3.50	3.50 9	3.50		
Height (mm)	3.50 8	3.50 9	3.50		



The data within this specification is subject to change by Phison without notice. Performance numbers may vary based on system configuration and testing conditions. Copyright @ 2025 Phison Electronics. All rights reserved.

^{(1) 1} GB = 10⁹ bytes.
(2) Sequential Performance is based on FIO on Linux, 128KB data size, with QD=32, 1 job.
(3) Random Performance is based on FIO on Linux, 4KB data size, QD=32, 1 job.
(4) Latency is measured with random workloads based on FIO on Linux, 4KB data size, QD=1, 1 job.
(5) Power consumption (average RMS) is measured during the sequential read/write and random read/write operations performed by iometer.
(6) The results of DWPD are obtained in compliance with JESD219A sandards.

Solutions - BA50P

Form Factor 2.5"						
Capacity ⁽¹⁾	240GB	480GB	960GB			
Interface	SATA III	SATA III	SATA III			
NAND Flash	3D TLC	3D TLC	3D TLC			
Performance ^(2,3,4)						
Sequential Read (MB/s)	530	530	530			
Sequential Write (MB/s)	290	480	500			
4K Random Read (IOPS)	60K	90K	98K			
4K Random Write (IOPS)	10K	15K	30K			
Read Latency (Typ., μs)	120	120	120			
Write Latency (Typ., μs)	80	50	30			
Power Consumption (5)						
Active (W)	2.3	2.8	3.3			
Idle (W)	1.2	1.3	1.3			
	Endurance/Reliability					
DWPD ⁽⁶⁾	1	1	1			
UBER	< 1 sector per 10 ¹⁷ bits read	< 1 sector per 10 ¹⁷ bits read	< 1 sector per 10 ¹⁷ bits read			
MTBF (million hours)	2.0	2.0	2.0			
Limited Warranty (years)	5	5	5			
Temperature						
Operating Temp. (°C)	0 - 70	0 - 70	0 - 70			
Non-Operating Temp. (°C)	-40 - 85	-40 - 85	-40 - 85			
	Physical Di	imension				
Length (mm)	100.00	100.00	100.00			
	(0.05	69.85	60.05			
Width (mm)	69.85	09.03	69.85			
Width (mm) Height (mm)	69.85 7.00	7.00	7.00			
Height (mm)	7.00	7.00 58	7.00			
Height (mm)	7.00 57	7.00 58	7.00			



The data within this specification is subject to change by Phison without notice. Performance numbers may vary based on system configuration and testing conditions. Copyright @ 2025 Phison Electronics. All rights reserved.

^{(1) 1} GB = 10⁹ bytes.
(2) Sequential Performance is based on FIO on Linux, 128KB data size, with QD=32, 1 job.
(3) Random Performance is based on FIO on Linux, 4KB data size, QD=32, 1 job.
(4) Latency is measured with random workloads based on FIO on Linux, 4KB data size, QD=1, 1 job.
(5) Power consumption (average RMS) is measured during the sequential read/write and random read/write operations performed by iometer.
(6) The results of DWPD are obtained in compliance with JESD219A sandards.